

# The climatic impacts and humanitarian problems from the use of the UK's nuclear weapons

In 2007, new scientific studies were carried out using the latest climate models to re-examine the issue of the 'nuclear winter', the global climatic effect likely to be triggered by a nuclear war. On the basis of these studies, I estimated the global cooling that could occur if all the nuclear warheads carried by just one of the UK's Trident submarines were launched. My analysis was published by SGR in 2008 [i], following an earlier article in the Bulletin of the Atomic Scientists, and is reproduced on the following pages. In short, a global temperature drop of at least 1.5°C could be expected – causing extremely serious social and environmental problems. Below I update my analysis, based on a recent reduction in the maximum number of warheads carried by each submarine, and further information about the possible targets against which the UK's nuclear weapons might be used.

Climatic effects are possible following the use of nuclear weapons because of the large fires that they can create when targeted against cities, fossil fuel stocks or chemical plant. The fierce nuclear fireball ignites material, especially if blast damage has already occurred from a previous detonation, lifting vast quantities of black carbon (soot) high into the atmosphere, reducing the levels of sunlight. The soot can persist for several years. This effect is well known from the observed climate impacts of particles from volcanic eruptions. As climate models have been further developed to study the threat of a warming world due to human emissions of greenhouse gases, it has been possible for scientists to update earlier studies of the 'nuclear winter' carried out in the 1980s. Also, recent work by Postol has found that earlier estimates of incendiary effects of nuclear weapons underestimated the impact [ii].

## New UK warhead numbers and targeting options

In 2008, the full warhead complement of a UK Trident nuclear missile submarine was stated as 48. Since the Strategic Defence and Security Review (SDSR) of 2010, the warhead number is stated as "no more" than 40 missiles [iii], each of which can be independently targeted – for example on separate centres of population or military targets. The SDSR also stated (section 3.2) that 'No state currently has both the intent and the capability to threaten the independence or integrity of the UK'.

So, what are the Trident missile system targets? A UK Government Trident fact sheet states: 'The notice to fire has been increased to several days since the

Cold War ended and the missiles are not targeted at any country' [iv]. Whilst this may be true in a narrow sense, target lists still have to be drawn up so that the missiles are available for use. These target options are locked away on the submarine and require the submarine commander, executive officer and weapons officer to authorise after direct orders from the Prime Minister. Also, after a period of conflict and a breakdown in communications the submarine can act independently on the basis of sealed 'letters of last resort' from the Prime Minister written for such a situation [v].

The targets would include any nuclear weapons state that the UK (or a close ally) could conceivably have a conflict with (i.e. those who could possibly target the UK with nuclear weapons) and possibly a range of currently non-nuclear state targets where the UK might at some time wish to exert extreme political or military pressure, for example where a nuclear weapons programme may be developing.

The SDSR states (section 3.7, pages 37, 38): 'the UK will not use or threaten to use nuclear weapons against non-nuclear weapon states parties to the NPT.' It is interesting to note that this careful wording means that targets in India, Israel, North Korea or Pakistan are not covered by this assurance – as well as, of course, other nuclear weapons states, specifically Russia and China. The SDSR goes on to say: 'we reserve the right to review this assurance if the future threat, development and proliferation of these weapons [Weapons of Mass Destruction] make it necessary'. This means that targets would be considered in Iran, for example, or other states if they became possessors of nuclear weapons or other weapons of mass destruction (e.g. as was alleged for Iraq).

With a Trident warhead complement of 40, the maximum deterrent and devastation effect can be achieved through targeting of large cities. Large cities cannot be easily defended against ballistic missiles; their positions are well known and their populations and infrastructure highly vulnerable to nuclear attack.

A core purpose of Trident – conceived during the Cold War – was to be able to devastate Moscow (the 'Moscow criterion'). The military planners defined the devastation of Moscow as severe damage to the infrastructure of the city and the death or injury of at least 40% of its 11 million inhabitants (4-5 million casualties) [vi]. Trident has also been designed with countermeasures (such as dummy warheads) to penetrate Moscow's anti-missile system.

However, Moscow was not the only target. Trident includes the ability to devastate 5 - 10 of the most populous Russian cities and several associated command, communications and naval centres with a combination of blast, fire and fallout and leave these centres with immense physical devastation and considerable radiation from weapons detonated at ground level.

The five largest Russian cities are Moscow, Saint Petersburg, Novosibirsk, Yekaterinburg and Samara with a combined population of 20 million inhabitants. The next four largest include Kazan, Omsk, Chelyabinsk and Rostov on the Don with a further 4.5 million. If these cities are targeted, the death threat rises to a figure of at least 10 million Russian people. And this is from just one of the four submarines. (The assumption is that only the one on patrol hidden under the Atlantic could be relied upon as others could be targeted at or near to port – in Faslane, Scotland – during any international nuclear conflict.)

Even larger casualty figures would result if more densely populated mega-cities in China, the Indian sub-continent and/or North Korea were targeted. In a city with a large population living in 'informal' or 'shanty' dwellings, nuclear weapons would wreak even larger and more horrific blast and burns casualties due to the weak construction methods, highly inflammable materials (with a very high risk of a lethal firestorm) and many people living outside.

Hence, major centres of population remain realistic targets for Trident in a 'deterrence' configuration. Such use would create huge fires and conflagrations along with the realistic possibility of 'firestorms' due to the large volumes of flammable material in such places. This means that one Trident submarine, even with its slightly reduced warhead loading, and on top of its ability to inflict horrific numbers of civilian casualties in excess of 10 million persons, still holds the potential to cause major global cooling due to the smoke from these fires. The possible cooling effect of 1.5 to 3°C that I derived in my 2008 article still stands as a reasonable estimate as 40 warheads have a similar (83%) fire-starting capability to 48 warheads.

Moreover the global cooling effect may not just last for a few months, but could last for several years. Such cooling would reduce crop yields over the entire Northern hemisphere (including, for example, the US grain harvest) causing severe food supply problems for many years. And put some 1 billion already malnourished people at risk of death from starvation [vii].

## Could one Trident submarine cause 'nuclear winter'?

In a recent letter [1] to the Bulletin of the Atomic Scientists, I raised the possibility – based on some detailed US climate research published in early 2007 – that the nuclear weapons complement of one UK Trident submarine could possibly trigger a 'nuclear winter'. This article expands that analysis, incorporating further research carried out over the last year on the climatic effects of nuclear war.

### A brief history of the nuclear winter concept

First, a bit of nuclear history. Back in the mid-1980s, one of the highest points of Cold War tensions, the world's nuclear arsenal stood at over 50,000 weapons [2] and it was very clear that if conflict between the superpowers did take place, any resulting nuclear war would be catastrophic. That view is now generally accepted, although for a good while the Thatcher government did try to reassure us that we would have a much better chance of surviving a nuclear war if we could shelter under makeshift shelters constructed of tables and mind-boggling quantities of materials supposedly available in the home or garden!

Gradually, working with colleagues in Scientists Against Nuclear Arms (one of SGR's predecessor organisations), we were able to construct a detailed

case that even relatively 'modest' nuclear detonations – of the order of hundreds of megatonnes (MT) – over UK cities would cause horrific deaths, injuries and long-term radiation consequences resulting in tens of millions of casualties [3,4].

However, some suspected that the longer-term consequences might be even worse due to adverse effects upon the global climate, as a result of widespread fires injecting huge quantities of soot into the upper atmosphere. Climate models were in their infancy by today's standards, but their results were nevertheless chilling. They concluded that as few as several hundred nuclear weapons could trigger a 'nuclear winter' with nightmarish consequences. This realisation was a key factor in dwindling public confidence in, or acceptance of, nuclear weapons.

Three climate modelling studies – by two US research groups and one Russian – were especially important [8,9,10]. They showed that a full-scale nuclear war – some 1,000 nuclear warheads exploded over cities and fuel-laden targets such as oil refineries – would cause reductions in surface temperature, precipitation, and insolation (energy from sunlight at the Earth's surface) so large that the climatic consequences could be described as a 'nuclear winter'. The effect would last a year or more

### Box 1 – How big is a megatonne?

One megatonne (MT) is the explosive power of one million tons of TNT – an energy release of  $10^{15}$  calories. The world's current nuclear weapons arsenals total more than 5,000MT, or a little under a tonne of high explosive for every person on the planet [5]. A 'typical' nuclear warhead – such as in the Trident system – is 100kT (0.1MT) [6], or eight times the explosive force of the bomb which devastated Hiroshima [7].

and lead to 'darkness at noon' and other severe climatic disturbances. The stratospheric ozone layer would be destroyed, resulting in a major increase in the dangerous ultra-violet radiation reaching ground level. There would be major extinctions of wildlife, and most people on the planet would be in danger of starvation.

The political response to these calculations was intense, with some arguing that the results over-emphasised the likely effects. Some even coined the term 'nuclear autumn' to discredit the work [11].




Figure 1 – Change of global average surface air temperature (grey lines), and precipitation (black lines) for the 5 Tg BC (black carbon emitted), 50 Tg BC and 150 Tg BC cases.

Credit: Alan Robock © – see note 28

## Box 2 – Calculating the climatic impacts of the firepower of one Trident submarine (References are given in the text)

1 Trident warhead = 100kT  
1 Hiroshima bomb = 12.5kT  
i.e. Trident warhead is 8 times greater

Blast area of 1 Trident warhead =  $8^{2/3}$  x blast area of 1 Hiroshima bomb  
i.e. Blast area of 1 Trident warhead = 4 x blast area of 1 Hiroshima bomb

1 Trident submarine carries 48 warheads (= 4.8MT)

Total blast area of Trident submarine's warheads =  $4 \times 48 = 192$  Hiroshima bombs

100 Hiroshima bombs inject 5Tg of soot into atmosphere

Total soot injection due to Trident submarine's warheads:  
Low estimate (linear scaling):  $5 \times 192/100 = 9.6\text{Tg}$   
High estimate (using Postol model):  $4 \times 5 \times 192/100 = 38.4\text{Tg}$

Interpolating from the simulations of Robock *et al* (2007), the resulting temperature drop would be 1.5-3°C lasting approximately five years.

## Nuclear winter confirmed

In recent years, of course, attention has shifted from global cooling due to a nuclear conflict to global warming as a result of fossil fuel burning. Research on global warming and climate change has considerably expanded over the last 20 years and, together with huge improvements in computing power, this has led to major advances in climate modelling, greatly increasing our understanding of atmospheric and other key processes.

With these advances, the Canadian organisation Physicians for Global Survival (PGS), SGR and others called for the research on the nuclear winter phenomenon to be updated [12]. In the last couple of years, this has been carried out, with several new studies having now been completed [13,14,15]. These use the latest climate models run over ten-year simulations and with detailed maps outputting average temperatures and rainfall, with more detailed studies for key crop growing regions. Three new scenarios have been published. These calculate the effects of 5,000MT, 1,300MT and 1.5MT (the latter equivalent to  $100 \times 15\text{kT}$ ), resulting in 150Tg, 50Tg and 5Tg of sooty smoke respectively from fires ( $1\text{Tg} = 10^{12}$  grammes). Most disturbingly, all three simulations result in cooling effects that last not just a year or two, as in the earlier studies, but for at least a decade.

At the top end of the spectrum, the two higher scenarios strengthen the basic conclusion that a large-scale nuclear conflict would have devastating climatic consequences (see Figure 1). They would

lead to an average global cooling of 3.5-8°C – a change as great as moving into an Ice Age. This maximum temperature drop would last three or four years, with a return to normal temperatures taking about another seven years. Geographical plots give more detailed estimates. In the UK, for example, the average temperature drop would be about 5°C during the initial period. The global average summer temperatures would drop by 20-30°C. In two key crop growing areas, Iowa and Ukraine, detailed simulations show temperatures below freezing for two years and a halving of the growing season respectively, with a drought due to 50-70% reduced rainfall. Continental cooling would decrease or eliminate the land-ocean temperature contrast in the summer and this would wipe out the Indian, African and North American monsoon seasons.

In 1983, the Scope study [16] estimated that the longer-term impacts upon the climate would mean that all survivors of nuclear attacks would have to depend upon food stocks for at least one year. Even assuming that the remaining food was distributed between survivors, the resulting casualty figures were extremely stark. Assuming no food production for one year and minimal food storage, deaths of approximately 90% of global population were estimated. The only exceptions, in this scenario, were areas in latitudes 20-30° South, which includes Australia, New Zealand and parts of southern Africa and South America, where the nuclear winter effects were somewhat less severe and there could be up to 30% survivors.

But the latest calculations mean that survivors would have to rely on stored food for several years, not one. Virtually all farming would cease for over two years, with a dramatically shorter growing season (if any) due to sharply-reduced rainfall for around a decade. To put this into perspective, grain stocks in 2006 were sufficient to feed the world for just 57 days [17]. To compound matters, there would also be major shortages of fertilisers, fuel for machinery, pesticides (but not pests), and seeds, coupled with periods of darkness during daytime, unpredictable frosts, widespread radioactivity and toxic chemicals, and a food distribution system in chaos.

It is hard to overstate the level of global catastrophe that this would represent.

These results alone need to be brought into the public eye as a shocking reminder of the sheer folly and longer term devastation that a major nuclear conflict would bring, not just to the attacker and the attacked, but every country and region on the planet.

## Climatic effects of a regional nuclear conflict

But if this is not shocking enough, research simulating the effects of a 'regional conflict' involving just 100 Hiroshima-sized nuclear weapons (1.5MT in total) concluded that even this could cause significant cooling for several years across the Northern Hemisphere.

Two of the studies mentioned above [18,19] investigated such a scenario. They estimated that such an attack – assumed to target city centres very

rich in materials that would burn fiercely – would inject a total weight of smoke into the atmosphere of 5Tg. Their results showed a global cooling for ten years peaking at 1.3°C. This would still be a major climatic change, especially given the speed at which it would occur.

Casualties from blast, fire and radiation due to the nuclear weapons are calculated to be up to a total of 20 million if 'super-cities' such as Delhi or Mumbai are included in the target list. The methodology to calculate these figures is very similar to that which we used in the book, *London after the Bomb* in 1982 [20].

## What could one nuclear-armed Trident submarine do?

After publication of the above results, I decided to estimate what the climatic effects might be using a small number of the larger weapons routinely deployed by the five 'official' nuclear powers. Here I take the example of a UK Trident submarine, carrying its full complement of nuclear Weapons. The calculations are given in Box 2 with the explanation as follows.

One Trident submarine is capable of carrying 16 missiles with a total of 48 nuclear warheads, each one of which has a yield of 100kT and can be targeted on a separate city [21].

In order to estimate the climatic impact, we need to calculate how much black carbon (soot) each Trident warhead could send into the atmosphere. The amount of soot created for a given target is proportional to the area set on fire. Robock's 'regional conflict' scenario above used as its basis the firestorm that was witnessed at Hiroshima. Nuclear weapons effects are usually calculated on well known blast-effect scaling laws [22]. Blast damage radii scale as the cube root of the warhead size, thus blast areas scale as square of the cube root (i.e. to the power 2/3). Using the figures in Box 2, we can calculate that one Trident warhead has a blast devastation area four times as large as that in Hiroshima. Using the full complement that can be carried, one Trident submarine can therefore devastate an area 192 times that of Hiroshima. This is roughly twice the regional scenario – which assumed 100 Hiroshima sized bombs – and therefore results in twice the soot injected into the atmosphere. This also means roughly 40 million casualties if densely populated centres are targeted.

However, fire causation and spread is a complex issue and there is reason to believe the impacts could be greater. The Postol super-fire/firestorm spread model [23] predicts that for larger nuclear warheads such as those carried on Trident, fires are likely to rage over an area some 3.5-4 times larger than that estimated from simple scaling-up of the effects of Hiroshima. Taking this important factor into account, one UK Trident submarine could inject not 10Tg of soot into the atmosphere but possibly as much as 38Tg. Interpolating between the 5 and 50Tg scenarios, this magnitude of soot injection seems likely to produce a globally averaged cooling of some 1.5-3°C over at least five years and shortening of growing seasons by 10-30 days.

It is a shocking revelation that the firepower of just one Trident nuclear submarine could not only devastate 48 cities and cause tens of millions of direct casualties, but also cause a global cooling lasting several years and of a magnitude not seen since the last Ice Age. This would have a tremendous impact on global society and natural ecosystems.

More work is needed to assess in detail the impact that such a cooling would have. As noted above, food supply is particularly vulnerable especially as world grain stocks currently stand at less than 60 days supply – their lowest level for over 30 years [24]. Helfand has estimated that 1 billion deaths could result from food shortages arising from the 'regional conflict' scenario above [25].

## Implications for global and national nuclear policy

While the estimates in this article obviously need further analysis and refinement, they are nevertheless robust enough to have important policy implications.

Firstly, this analysis adds yet more weight to the argument that urgent progress is needed in global nuclear disarmament, through the nuclear Non-Proliferation Treaty or, better, through a new nuclear weapons convention. With over 26,000 nuclear weapons still in existence [26], there really should not be any further delay in pursuing this.

Secondly, any nuclear arsenal over about 5MT (i.e. about 50 Trident warheads) should be considered a threat, not just to other states and peoples against which it may be targeted, but also globally through the climatic impacts that could be wrought. The five 'official' nuclear powers – USA, Russia, China, France and the UK – all have arsenals in excess of these levels. It is also possible that the nuclear arsenals of Israel, India and Pakistan each exceed this level [27].

Regional and national instability, such as currently exists in the Middle East or in Pakistan, should be regarded as a potential threat to global society, and the provision of support and resources for peaceful resolution should be given especially high priority.

Finally, this is yet another clear argument against UK plans for Trident replacement. Deploying a weapon capable of devastating the world's climate system is a grossly disproportionate, and perhaps even suicidal, response to uncertain future security concerns. It really is time to put an end to this programme.

**Dr Philip Webber is Chair of Scientists for Global Responsibility. He is author/co-author of numerous publications on nuclear weapons, including *London after the Bomb* and *Crisis over Cruise*.**

## Notes and References - 2013 Introduction and update (p. 1)

- (i) Philip Webber, SGR Newsletter, 2008  
[http://www.sgr.org.uk/newsletters/NL35\\_NuclearWinterTrident.pdf](http://www.sgr.org.uk/newsletters/NL35_NuclearWinterTrident.pdf) also in 'Forecasting nuclear winter', *Bulletin of the Atomic Scientists*, vol. 63, no. 5, pp. 5-8 (September/October), 2007.
- (ii) Quoted by Lynn Eden in:  
<http://www.nucleardarkness.org/web/cityonfire/>
- (iii) HM Government (2010). *Securing Britain in an Age of Uncertainty: The Strategic Defence and Security Review*.  
<https://update.cabinetoffice.gov.uk/resource-library/strategic-defence-and-security-review-securing-britain-age-uncertainty>
- (iv) Defence White Paper 2006, Factsheet No.4.  
[https://www.gov.uk/government/uploads/system/uploads/attachment\\_data/file/27382/Cm6994\\_Factsheet4.pdf](https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/27382/Cm6994_Factsheet4.pdf) accessed 7 February 2013
- (v) See for example, 'HMS Apocalypse...', Daily Mail 30 November 2008, <http://www.dailymail.co.uk/news/article-1090400/HMS-Apocalypse-Deep-Atlantic-submarine-waits-alert-nuclear-missiles-end-world-.html> accessed 7 February 2013, also: 'Today' BBC Radio 4, 2 December 2008, 'Finger on the nuclear button', [http://news.bbc.co.uk/1/hi/today/newsid\\_7758000/7758347.stm](http://news.bbc.co.uk/1/hi/today/newsid_7758000/7758347.stm) Accessed 7 February 2013
- (vi) See for example: *Maintaining the Moscow Criterion: British Strategic Nuclear Targeting 1974-1979*, Kristan Stoddart, *Journal of Strategic Studies*, Vol 31, No 6, December 2008, page 909  
Also, *British Nuclear Doctrine: The 'Moscow Criterion' and the Polaris Improvement Programme*, John Baylis, *Contemporary British History*, Vol 19, No 1, Spring 2005.
- (vii) Helfand I (2012):  
<http://www.psr.org/chapters/oregon/assets/pdfs/nuclear-famine-a-billion.pdf>

## Notes and References - 2008 article (pp. 2-4)

1. Webber P. (2007). Forecasting nuclear winter. *Bulletin of the Atomic Scientists*, vol. 63, no. 5, pp. 5-8 (September/October). <http://www.thebulletin.org/>
2. Smith D. (2003). *The atlas of war and peace*. Earthscan.
3. Openshaw S., Steadman P., Greene O. (1983). *Doomsday: Britain after nuclear attack*. Blackwell Publishers.
4. Greene O., Rubin B., Turok N., Webber P., Wilkinson G. (1982). *London after the bomb: what a nuclear attack really means*. Oxford University Press.
5. The five 'official' nuclear weapons states currently hold approximately 26,000 nuclear warheads. These warheads vary greatly in size. The 5,000MT total figure is a conservative estimate.  
For further discussion, see e.g.: Kile S.N. (2007). Nuclear arms control and non-proliferation. Chapter 12 of: *SIPRI (2007). SIPRI Yearbook 2007: Armaments, Disarmament and International Security*. Oxford University Press/SIPRI. <http://yearbook2007.sipri.org/>
6. Butler N., Bromley M. (2001). The UK Trident system in the 21<sup>st</sup> century. Research Report 2001.3. British American Security Information Council (BASIC). <http://www.basincint.org/pubs/Research/UKtrident.pdf>
7. The Committee for the Compilation of Material on Damage Caused by the Atomic Bombs on Hiroshima and Nagasaki (1981). *Hiroshima and Nagasaki: the physical, medical and social effects of the atomic bombings*. Hutchinson. (Translation by Ishikawa E., Swain D.)
8. Crutzen P.J., Birks J.W. (1982). *The atmosphere after a nuclear war: twilight at noon*. *Ambio*, vol. 11, pp.115-125.
9. Aleksandrov V.V., Stenchikov G.L. (1983). On the modeling of the climatic consequences of the nuclear war. *Proc Applied Math. Computing Centre, USSR Academy of Sciences, Moscow*.
10. Turco R.P., Toon O.B., Ackerman T.P., Pollack J.B., Sagan C. (1984). The climatic effects of nuclear war. *Scientific American*, vol. 251, pp. 33-43 (August).
11. pp. 987-988 of: Thompson S.L., Schneider S.H. (1986). Nuclear winter reappraised. *Foreign Affairs*, vol. 64, pp. 981-1005 (summer).
12. Parkinson S. (2003). Does anybody remember the nuclear winter? *SGR Newsletter*. No. 27, pp. 6-7 (July). Scientists for Global Responsibility. <http://www.sgr.org.uk/>
13. Robock A., Oman L., Stenchikov G.L. (2007). Nuclear winter revisited with a modern climate model and current nuclear arsenals: still catastrophic consequences. *Journal of Geophysical Research*, vol. 112, no. D13, D13107.
14. Toon O.B., Turco R.P., Robock A., Bardeen C., Oman L., Stenchikov G.L. (2007). Atmospheric effects and societal consequences of regional scale nuclear conflicts and acts of individual nuclear terrorism. *Atmospheric Chemistry and Physics*, vol. 7, no. 8, pp. 1973-2002.
15. Robock A., Oman L., Stenchikov G.L., Toon O.B., Bardeen C., Turco R.P. (2007). Climatic consequences of regional nuclear conflicts. *Atmospheric Chemistry and Physics*, vol. 7, no. 8, pp. 2003-2012.
16. Turco R., Toon B., Ackerman T., Pollack J., Sagan S. (1983). Nuclear winter: global consequences of multiple nuclear explosions. *Science*, vol. 222, pp. 1283-1292. Further information can be found in: SCOPE ENUWAR Committee (1987). Environmental consequences of nuclear war: an update – severe global-scale effects of nuclear war reaffirmed. *Environment*, vol. 29, no. 4, pp. 4-5, 46.
17. Earth Policy Institute (2006). Grain indicator data. [http://www.earth-policy.org/Indicators/Grain/2006\\_data.htm](http://www.earth-policy.org/Indicators/Grain/2006_data.htm)
18. As note 14
19. As note 15
20. As note 4
21. As note 6
22. Glasstone S., Dolan P.J. (eds.) (1980). *The effects of nuclear weapons*. US Dept. of Energy and US Dept. of Defense.
23. Postol T. (1986). Possible fatalities from super-fires following nuclear attacks on or near urban areas. Institute of Medicine. Published as an open book at: [http://www.nap.edu/openbook.php?record\\_id=940&page=15](http://www.nap.edu/openbook.php?record_id=940&page=15)
24. The low level of world grain stocks is due to a combination of numerous factors including soil erosion, population growth, growth in meat consumption and, recently, a large expansion in biofuel production (see p.19).
25. Helfand I. (2007). An assessment of the extent of projected global famine resulting from limited, regional nuclear war. Conference paper presented at: Nuclear Weapons: The Final Pandemic – Preventing Proliferation and Achieving Abolition (London, October 3). <http://www.ipnw.org/News/Reports/HelfandFaminePaper.pdf>
26. As note 5
27. As note 5. See also p.18 of: Wolfsthal J. (2005). Weapons around the world. *Physics World*. August. <http://physicsweb.org/>
28. Robock (2007). Climatic consequences of regional nuclear conflict. Powerpoint presentation. <http://climate.envsci.rutgers.edu/roboc/NuclearWinterForDistribution.4.ppt>

Grateful acknowledgements to: Stuart Parkinson, Alasdair Beal and Kate Maloney